

10. TECHNICAL SPECIFICATIONS, CLOSING DATES

WELT AM SONNTAG / DIE WELT

Type area Nordic format: 374.5 mm wide, 528.0 mm high /
Number of columns ad section 8, text passage 6

WELT AM SONNTAG Kompakt

Type area tabloid: 247.8 mm wide, 370.0 mm high / number of
columns 5

Column width	Ad section	Text passage	WELT AM SONNTAG Kompakt
1 column	45.0 mm	58.5 mm	45.0 mm
2 column	92.0 mm	121.7 mm	95.7 mm
3 column	139.0 mm	184.9 mm	146.4 mm
4 column	186.0 mm	248.1 mm	197.1 mm
5 column	233.0 mm	311.3 mm	247.8 mm
6 column	280.0 mm	374.5 mm	-
7 column	327.0 mm	-	-
8 column	374.0 mm	-	-

Bunddurchdruck	Nordisches Format	Tabloidformat
Satzspiegel	777 mm breit, 528 mm hoch	530 mm breit, 370 mm hoch
Mindestgröße	½ Seite, 777 mm breit, 264 mm hoch, der Bundsteg (28 mm) wird mit Zuschlag berechnet	Bundsteg 34 mm
Platzierung	Nach vorheriger Vereinbarung	Nach vorheriger Vereinbarung

WELT AM SONNTAG	
Anzeigenschlusstermine / Rücktrittstermine	
Allgemeiner Anzeigenschluss	Montag vor Erscheinen, 12.00 Uhr
DIE LITERARISCHE WELT	Freitag der Vorwoche, 16.00 Uhr
Sonderformate	4 Wochen vor Erscheinen
Druckunterlagenschlusstermine	
Allgemeiner Druckunterlagenschluss	3 Tage vor Erscheinen, 10.00 Uhr

DIE WELT	
Anzeigenschlusstermine / Rücktrittstermine	
Allgemeiner Anzeigenschluss	2 Tage vor Erscheinen, 14.00 Uhr
Montag-Ausgabe	Freitag vor Erscheinen, 14.00 Uhr
Sonderformate	2 Wochen vor Erscheinen
2/1 Seite, Opening Spread	1 Woche vor Erscheinen
Druckunterlagenschlusstermine	
Allgemeiner Druckunterlagenschluss	1 Tag vor Erscheinen, 10.00 Uhr

WELT Print Gesamt	
Anzeigenschlusstermine / Rücktrittstermine	
Allgemeiner Anzeigenschluss	Siehe oben
Sonderformate	4 Wochen vor Erscheinen
Druckunterlagenschlusstermine	
Allgemeiner Druckunterlagenschluss	Siehe oben

¹ see conversion table

11. PRINTING MATERIAL

Data transfer

Printing materials are transferred electronically by the internet (<https://transfer.axelspringer.de>). Receipt by e-mail is possible in exceptional cases (apdtp-berlin@axelspringer.de).

File format

We recommend the file format PDF/X-4:2008. The file formats PDF/X-1a:2001 and PDF/X-3:2002 are still valid and are also accepted. Basically we do not use any open formats. The files must be set up in the original size of the ad.

Contact

The ad management is available Monday–Friday from 9.00 a.m. to 6.00 p.m.
Tel: +49 (0) 151 194 708 19
Tel: +49 (0) 175 728 493 3

Address for printing material

Axel Springer Deutschland GmbH
Herstellung / Planungs- und Anzeigenmanagement
Zimmerstraße 50
10888 Berlin

Fonts

All fonts used must be embedded. Positive fonts from 6 point, negative fonts from 8.5 point, semi-bold, sans-serif

Line width

Line width from 0.2 mm (positive)/from 0.3 mm (negative)

Tabloid format

Printing materials for the Nordic broadsheet format will automatically be adapted to the size for the Nordic tabloid format. As an alternative, separate printing materials can be delivered. Please contact us for format specifications. For ads scaled to tabloid format, we recommend the following font sizes and line widths to ensure optimal readability. Positive fonts from 9 point, negative fonts from 12 point, semi-bold, sans serif, positive lines min. 0.3 mm, negative lines min. 0.45 mm.

Printing process

(Coldset) web offset, ISO 12647-3:2005

TECHNICAL SCREEN

Dynamic range: tonal gradations in print from from 3% to 95%.

Dot gain: 50% tone of the source material gains approx. 26% in newspaper offset printing.

Colours: Euroscale ISO 2846-2 (sample of the HKS colours, version 2006 in combined CMYK print on request).

Registration mark tolerance ≤ 0.3 mm

Image resolution: 250 dpi, for line max. 1,270 dpi

Colour processing: please use ICC colour profile ISOnewspaper26v4.icc.

This takes into account the parameters of achromatic composition, max. total colour application and dot gain in newspaper printing.

Download profile:

<https://transfer.axelspringer.de/download/icc/ISOnewspaper26v4.icc>

QR code

We recommend a minimum format of 25 x 25 mm and resolution of 300 dpi to ensure the readability of QR code illustrations in newspaper printing. The advertising client is responsible for the content of the link.

Print quality

In the event of different data structures, no guarantee can be given for the print quality. Colour variations within and between printing locations are process-related and do not justify any claims for compensation. No guarantee is given for the accurate realisation of 4c advertisements via ICC colour profiles. The dimensional stability of newsprint is subject to slight variations due to the processes used.

12. FORMAT ADJUSTMENTS

PLEASE OBSERVE WHEN DELIVERING PRINTING MATERIAL FOR WELT AM SONNTAG AND WELT AM SONNTAG KOMPAKT:

Owing to the different type area of WELT AM SONNTAG and WELT AM SONNTAG Kompakt, the publisher automatically adapts the printing materials for WELT AM SONNTAG Kompakt where this is suitable and corresponds with the format coordinates of WELT AM SONNTAG. If the printing materials are to be delivered for both titles, the conversion factors indicated below must be considered. WELT AM SONNTAG / DIE WELT, type area Nordic format: 374.5 mm wide, 528 mm high, number of columns ad section 8, text passage 6 WELT AM SONNTAG Kompakt, type area: tabloid: 247.8 mm wide, 370 mm high, number of columns 5.

	WELT AM SONNTAG / DIE WELT			WELT AM SONNTAG Kompakt				
	Spalten	Breite (mm)	Höhe (mm)	Spalten	Breite (mm)	Höhe (mm)	Faktor %	Verkleinerung nach
Textteil-/Eckfeld-/Streifenanzeigen	1	58,5	max. Höhe 406	1	45,0	Höhe x 76,92 %	76,92	Breite
	2	121,7	max. Höhe 406	2	95,7	Höhe x 78,64 %	78,64	Breite
	3	184,9	max. Höhe 406	3	146,4	Höhe x 79,18 %	79,18	Breite
	4	248,1	max. Höhe 406	4	197,1	Höhe x 79,44 %	79,44	Breite
	5	311,3	max. Höhe 406	5	247,8	Höhe x 79,60 %	79,60	Breite
1/1 Seite	6	374,5	max. Höhe 406	5	247,8	Höhe x 66,17 %	66,17	Breite
Blatthohe Anzeigen Anzeigen werden auf 370 mm skaliert mittig auf Weißraum platziert	1	58,5	528,0	1	45,0	370,0	70,08	Höhe
	2	121,7	528,0	2	95,7	370,0	70,08	Höhe
	3	184,9	528,0	3	146,4	370,0	70,08	Höhe
	4	248,1	528,0	4	197,1	370,0	70,08	Höhe
	5	311,3	528,0	5	247,8	370,0	70,08	Höhe
Streifen	8	374,0	66,0	5	247,8	43,7	66,26	Breite
	8	374,0	100,0	5	247,8	66,3	66,26	Breite
	8	374,0	132,0	5	247,8	87,5	66,26	Breite
	8	374,0	176,0	5	247,8	116,6	66,26	Breite
	8	374,0	264,0	5	247,8	174,9	66,26	Breite
Eckfeld	3	184,9	308,0	3	146,4	243,9	79,18	Breite
	3	184,9	231,0	3	146,4	182,9	79,18	Breite
	3	184,9	250,0	3	146,4	198,0	79,18	Breite
	3	184,9	264,0	3	146,4	209,0	79,18	Breite